Instructions for Windows manual deployment of SAP GUI

Target version	SAP GUI 7.50 PL11	SAP GUI 7.50 PL11							
Prepare for Installation	Backup user's current settings – Make	e a copy of folder %	APPDATA%\SAP\C	ommon					
Uninstall any current SAP GUI Version	Use Add and Remove Programs								
Update local services file	File Location is: C:\Windows\System3	File Location is: C:\Windows\System32\drivers\etc							
	Open in editor As Administrator and append the following entries + a blank line at the end of the file								
	sapmsAMS 3606/tcp								
	sapmsQNA 3615/tcp								
SAP GUI and Patch Location	https://uoft.me/sap-gui-for-windows SAP > SAP GUI for Windows Image: Name Image: Sold 44807_6.ZIP	Modified \smallsetminus Yesterday at 5:09 PM	Modified By ∨ + A Praveen Narayanaswa	\dd column					
	jui750_11-80001468.exe	Yesterday at 5:05 PM	Praveen Narayanaswa						
	SAPUILandscape_UofT_USERS.xml	Yesterday at 5:03 PM	Praveen Narayanaswa						
Install SAP GUI 7.50 IMPORTANT: Include the SNC Client Encryption with the installation	 Unzip 50144807_6.ZIP Navigate to <unzipped_location>\5014 _2_\PRES1\GUI\WINDOWS\Win3</unzipped_location> Run installer (SetupAll.exe) As Ad 	4807_6\BD_NW_7. 32 Iministrator	0_Presentation_7.	50_Comp.					

	Manage C:\Users	\velms\Downloads\501448	07_6\BD_NW_7.0_Pr	esentation_7.50_Comp2_\PRES1\	.GUI\WINDOW	S\Win3
View Ap	plication Tools					
is PC → Download	ds > 50144807_6 > BD_N	N_7.0_Presentation_7.50_C	omp2_ > PRES1	> GUI > WINDOWS > Win32	~ ∂	Search Win
Name	^	Date modified	Туре	Size		
AXL		1/24/2018 7:26 AM	File folder			
BI		1/24/2010 7-26 AM	File folder			
BW	Open	1	File folder			
iwb	💡 Run as administrator	1	File folder			
Jaws	Troubleshoot compat	ibility	File folder			
NWBC65	Pin to Start	4	File folder			
ReadMe	7-Zip	> 1	File folder			
SapGui	CRC SHA	> 1	File folder			
Setup	Scan with Windows D	efender	File folder			
SncClientE	A Share	4	File folder			
System			File folder			
System64	Give access to	> /	File folder			
VE	Pin to taskbar	4	File folder			
SAP Setup	Restore previous versi	ons	PDF File	2,485 KB		
🙀 SapAXLSet	Send to	> 1	Application	241 KB		
🛐 SapBiSetup		1	Application	241 KB		
SAPExcel S	Cut	1	PDF File	999 KB		
🔯 SapGuiSetı	Сору	1	Application	241 KB		
SapNwBcS	Create shortcut	1	Application	241 KB		
🔯 SapSncClie	Delete	1	Application	241 KB		
👩 SapSrxSetu	Rename	1	Application	241 KB		
👩 SapVevSeti	Properties	1	Application	241 KB		
SetupAll.ex	c	NIT 02.2 1102/11	Application	241 KB		

4. Make the following selection













		Restarting	
SAP GUI XML Location	https://uoft.me/sap-gui-for-windov	<u>vs</u>	
	🗋 Name 🗁	Modified \smallsetminus	Modified By \sim + Add column
	50144807_6.ZIP	Yesterday at 5:09 PM	Praveen Narayanaswa
	^J gui750_11-80001468.exe	Yesterday at 5:05 PM	Praveen Narayanaswa
	SAPUILandscape_UofT_USERS.xml	Yesterday at 5:03 PM	Praveen Narayanaswa
Replace the GUI XML file accordingly	We already have a backup of folder We have to now replace the existing Rename the current file with name SAPUILandscape.xml.original	%APPDATA%\SAP\ g "default" SAPUILandscape.xm	Common Il to

	> AppData > Roaming > SAP > Common	n
	Name	Date modified Type Size
	🔊 saplogon.ini	7/23/2019 4:06 PM Configuration sett 1 KB
	SAPUILandscape.xml	7/2 (Doon
	SAPUILandscapeGlobal.xml	7/2 Fdit
		7-Zip
		CRC SHA
		🛟 Scan with Windows Defender
		🖻 Share
		Open with >
		Give access to
		Restore previous versions
		Send to >
		Cut
		Сору
		Create shortcut
		Delete
		Rename
		Properties
	Choose the proper XML based on t	ne target group.
	Copy the chosen file as %APPDATA	%\SAP\Common\SAPUILandscape.xml
Target Group: Business Users	Use XML file SAPUILandscape_Uof	T_USER.xml

	=		c	APLog	op 750				
Result: SAP Business Users	-		0	AF LUGI	лт <i>т</i> 50			_	
	Variable Logon New Item Change Item	Delete Item						Explorer View	\sim
		Connections					۹	Filter Items	
	Favorites	Name ^	System Description	SID	Group/Server	Instance No.	Message Ser	ver Rout	er(s)
	Shortcuts	🖪 AMS		AMS	sap-ams.adminsys.utoronto.ca	05			
	Connections	AMS [Cloud]		AMS	public		ams.easi.utor	onto.ca	
	Connections	B LRN		LRN	sap-Irn.adminsys.utoronto.ca	11			
		LRN [Cloud]		LRN	Irn.easi.utoronto.ca	11			
		PBW		PBW	sap-pbw.adminsys.utoronto.ca	08			
		PBW [Cloud]		PBW	pbw.easi.utoronto.ca	08			
		CINA CINH		QNA	sap-qna.adminsys.utoronto.ca	14	ana anai utar	onto ao	
				ODT	public	10	qua.easi.utori	onto.ca	
		B PPT [Cloud]		DDT	rot easi utoronto ca	10			
		- BS SRP		SRP	san-srn adminsvs utoronto ca	42			
		SRP [Cloud]		SRP	srp easi utoronto ca	42			
		SRQ		SRQ	sap-srg.adminsvs.utoronto.ca	43			
		SRQ [Cloud]		SRQ	srq.easi.utoronto.ca	43			
		B SRR		SRR	sap-srr.adminsys.utoronto.ca	41			
		. 🕵 SRR [Cloud]		SRR	srr.easi.utoronto.ca	41			
		📲 SRS		SRS	sap-srs.adminsys.utoronto.ca	38			
		SRS [Cloud]		SRS	srs.easi.utoronto.ca	38			
		🖺 TNG		TNG	sap-tng.adminsys.utoronto.ca	09			
		TNG [Cloud]		TNG	tng.easi.utoronto.ca	09			
		-							
		-							
		-							
									Log On

SAP GUI Shortci	uts – SAP Systems in Azure Cloud
List of required SAP GUI	- QNA Cloud
shortcuts – SAP Cloud	- AMS Cloud
Systems	- LRN Cloud
	- PBW Cloud
	- RTP Cloud
	- SRP Cloud
	- SRQ Cloud
	- SRR Cloud
	- SRS Cloud
	- TNG Cloud
Create Windows User	1. Open Start menu and search for Run (or use keyboard shortcut Windows key +
Environment Variable	R)
	2. Put in the Open
	field: <i>rund1132 sysdm.cp1,EditEnvironmentVariables</i> and hit OK
	3. Create a new User Environment

	Value
OneDrive	C:\UsersimuliOneDrive
Path	C:\Users\
TEMP	C:\Usersl AppData\Local\Temp
ТМР	C:\UsershullanliAppData\Local\Temp
	New Edit Delete
ystem variables	
Variable	Value
Variable ComSpec	Value C:\WINDOWS\system32\cmd.exe
Variable ComSpec DriverData	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData
Variable ComSpec DriverData FP_NO_HOST_CHECK	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO
Variable ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS OS	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4 Windows NT
Variable ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS OS Path	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4 Windows_NT C:\ProgramData\Oracle\Java\iavapath:C:\Program Files (v86)\Com_
Variable ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS OS Path PATHEXT	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4 Windows_NT C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com .COM.EXE:.BAT:.CMD:.VBS:.VBE:.JS:JSE:.WSF:.WSH:.MSC
Variable ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS OS Path PATHEXT	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4 Windows_NT C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com .COM.EXE:.BAT:.CMD:.VBS:.VBE:.JS:.JSE:.WSF:.WSF:.WSF:.WSF:.WSF:.WSF:.WSF:.WSF
Variable ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS OS Path PATHEXT	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4 Windows_NT C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com .COM:.EXE:.BAT:.CMD:.VBS:.VBE:.JS:.JSE:.WSF:.WSH:.MSC New Edit Delete
Variable ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS OS Path PATHEXT	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4 Windows_NT C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com .COM:.EXE:.BAT:.CMD:.VBS:.VBE:.JS:JSE:.WSF:.WSH:.MSC New Edit Delete

Variable name: SAP_QNA Variable value: /M/qna.easi.utoronto.ca/S/3615/G/public SNC_PARTNERNAME="p:CN=qna.easi.utoronto.ca/S/3615/G/public SNC_PARTNERNAME="p:CN=qna.easi.utorothored-JavaJiavapath;C:\Program Files (a86\com<	New User Variable	
New Edit Delete System variables Variable Value ComSpec C:\WINDOWS\system32\cmd.exe DriverData C:\Windows\System32\Drivers\DriverData FP_NO_HOST_CHECK NO NUMBER_OF_PROCESSORS 4 OS Windows_NT Path C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com PATHEXT COM:EXE:_BAT:_CMD:_VBS:_VBE:_JS:_USF.WSF.MSC 	Variable name: SAP_QNA Variable value: /M/qna.easi.u Browse Directory Brow	itoronto.ca/S/3615/G/public SNC_PARTNERNAME="p:CN=qna.easi.utoronto.ca se File OK Cancel
Variable Variable ComSpec C:\WiNDOWS\system32\cmd.exe DriverData C:\Windows\System32\Drivers\DriverData FP_NO_HOST_CHECK NO NUMBER_OF_PROCESSORS 4 OS Windows_NT Path C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com PATHEXT .COM:.EXE:.BAT:.CMD:.VBS:.VBE:.JS:.JSE:.WSF:.WSH:.MSC	System variables	New Edit Delete
	ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS OS Path PATHEXT	C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4 Windows_NT C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com .COM:.EXE:.BAT:.CMD.VBS:.VBE:.JS:JSE:.WSF:.WSH:.MSC

	Environment Variab	les		\times			
	User variables for	_					
	Variable OneDrive Path SAP_QNA TEMP TMP		Value C:\Users\us				
			New Edit Delete				
	System variables						
	Variable ComSpec DriverData FP_NO_HOST_	CHECK	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\DriverS\DriverData NO				
	NUMBER_OF_S OS Path PATHEXT	PROCESSORS	4 Windows_NT C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com .COM: EXE: BAT: .CMD: .VBS: .VBE: .JS: .JSE: .WSF: .WSH: .MSC				
			New Edit Delete				
			OK Cancel				
	6. Repea 7. When	t steps 1-5 ready, clicl	for ALL SAP System variables in scope (see below) < OK				
List of Environment Variables	Variable Name	Variab:	le Value				
	SAP_QNA	/M/qna SNC_PAH OU=Uni: Counci: Huron S SP=Onta /SUPPOI	.easi.utoronto.ca/S/3615/G/public RTNERNAME="p:CN=qna.easi.utoronto.ca, fied Communications, OU=EASI, O=Govern l of the University of Toronto, ST=255 St., L=Toronto, ario, postalCode=M5S 3J1, C=CA" SNC_QC RTBIT ON=NEED STDDYNPRO	DP=8			

SAP_AMS	/M/ams.easi.utoronto.ca/S/3606/G/public SNC_PARTNERNAME="p:CN=ams.easi.utoronto.ca, OU=Unified Communications, OU=EASI, O=Governing Council of the University of Toronto, ST=255 Huron St., L=Toronto, SP=Ontario, postalCode=M5S 3J1, C=CA" SNC_QOP=8 /SUPPORTBIT_ON=NEED_STDDYNPRO
SAP_LRN	/M/lrn.easi.utoronto.ca/S/3612/G/public SNC_PARTNERNAME="p:CN=lrn.easi.utoronto.ca, OU=Unified Communications, OU=EASI, O=Governing Council of the University of Toronto, ST=255 Huron St., L=Toronto, SP=Ontario, postalCode=M5S 3J1, C=CA" SNC_QOP=8 /SUPPORTBIT_ON=NEED_STDDYNPRO
SAP_PBW	/M/pbw.easi.utoronto.ca/S/3609/G/public SNC_PARTNERNAME="p:CN=pbw.easi.utoronto.ca, OU=Unified Communications, OU=EASI, O=Governing Council of the University of Toronto, ST=255 Huron St., L=Toronto, SP=Ontario, postalCode=M5S 3J1, C=CA" SNC_QOP=8 /SUPPORTBIT_ON=NEED_STDDYNPRO
SAP_RPT	/M/rpt.easi.utoronto.ca/S/3611/G/public SNC_PARTNERNAME="p:CN=rpt.easi.utoronto.ca, OU=Unified Communications, OU=EASI, O=Governing Council of the University of Toronto, ST=255 Huron St., L=Toronto, SP=Ontario, postalCode=M5S 3J1, C=CA" SNC_QOP=8 /SUPPORTBIT_ON=NEED_STDDYNPRO
SAP_SRP	/M/srp.easi.utoronto.ca/S/3643/G/public SNC_PARTNERNAME="p:CN=srp.easi.utoronto.ca, OU=Unified Communications, OU=EASI, O=Governing Council of the University of Toronto, ST=255 Huron St., L=Toronto, SP=Ontario, postalCode=M5S 3J1, C=CA" SNC_QOP=8 /SUPPORTBIT ON=NEED STDDYNPRO

	SAP_SRQ	/M/srq.easi.utoronto.ca/S/3644/G/public SNC_PARTNERNAME="p:CN=srq.easi.utoronto.ca, OU=Unified Communications, OU=EASI, O=Governing Council of the University of Toronto, ST=255 Huron St., L=Toronto, SP=Ontario, postalCode=M5S 3J1, C=CA" SNC_QOP=8 /SUPPORTBIT_ON=NEED_STDDYNPRO
	SAP_SRR	/M/srr.easi.utoronto.ca/S/3642/G/public SNC_PARTNERNAME="p:CN=srr.easi.utoronto.ca, OU=Unified Communications, OU=EASI, O=Governing Council of the University of Toronto, ST=255 Huron St., L=Toronto, SP=Ontario, postalCode=M5S 3J1, C=CA" SNC_QOP=8 /SUPPORTBIT_ON=NEED_STDDYNPRO
	SAP_SRS	/M/srs.easi.utoronto.ca/S/3639/G/public SNC_PARTNERNAME="p:CN=srs.easi.utoronto.ca, OU=Unified Communications, OU=EASI, O=Governing Council of the University of Toronto, ST=255 Huron St., L=Toronto, SP=Ontario, postalCode=M5S 3J1, C=CA" SNC_QOP=8 /SUPPORTBIT_ON=NEED_STDDYNPRO
	SAP_TNG	/M/tng.easi.utoronto.ca/S/3610/G/public SNC_PARTNERNAME="p:CN=tng.easi.utoronto.ca, OU=Unified Communications, OU=EASI, O=Governing Council of the University of Toronto, ST=255 Huron St., L=Toronto, SP=Ontario, postalCode=M5S 3J1, C=CA" SNC_QOP=8 /SUPPORTBIT_ON=NEED_STDDYNPRO
Create a new Shortcut for the user (for example on the User's Desktop)	1. Right-c	lick on the Desktop and Select New > Shortcut

	View	~ ~			
	Sort by	>			
_	Refresh				
	Paste				
	Paste shortcut				
	Undo Rename	Ctrl+Z			
	New	>			
	Display settings		Shortcut		
1	Personalize		Microsoft Access Datab	base	
			Bitmap image		
			Contact		
			Dicrosoft Word Docum	nent	
			Microsoft Access Data	hase	
₽ W Th	Create Shortcut hat item would you I is wizard helps you to creat ernet addresses.	ike to crea	ate a shortcut for?	s, folders, computer	rs, or
Туг	e the location of the item:				
-	C:\Program Files (x86)\SAP\	FrontEnd\SA	Pgui\SAPgui.exe"	Browse	
Cli	ck Next to continue.				
				Next	Cancel
	Pick a meaningful r	name for t	the shortcut (like QNA C	Cloud) and clic	k Finish

	:	×
← 😿 Cre	ate Shortcut	
What	t would you like to name the shortcut?	
Time a	none for this short set	
Type a	er d	
QNA	Cloud	
Click F	inish to create the shortcut.	
	Finish Cancel	
Pi	ight-click on the newly created shortcut and select Properties	
. N	gnethick on the newly created shortcut and select properties	
SAP_QN	Open file leasting	
	Open file location	
	Run as administrator	
	Dia to Shut	
	7.7in	
E E	Scan with Windows Defender	
	Pin to taskbar	
_	Restore previous versions	
_	Send to >	
_	Cut	
	Сору	
_	Create shortcut	
	Delete	
	Rename	
	Properties	
. A	ppend <space>+ %SAP_QNA% to the end of the "Target" field</space>	
For ex	ample	
TUTEX	ampic.	
"C:\F	<pre>Program Files (x86)\SAP\FrontEnd\SAPgui\SAPgui.exe"</pre>	
%SAP_	_QNA%	

	Details	Previous Versions	
General	Shortcut	Compatibility	
s.	AP_QNA		
Target type:	Application		
Target location	: SAPgui		
Target:	AP\FrontEnd\SAPgui\S	SAPgui.exe" <mark>%SAP_QNA</mark>	2
Start in:	"C:\Program Files (x86)	\SAP\FrontEnd\SAPgui"	
Shortcut key:	None		
Run:	Normal window		~
Comment:			
Once Divis			
Open hiệ L	ocation Unange Icc	on Advanced	
Open Hie L	Change Icc	Advanced	
Open Hie L	Change loo	Advanced	·
Upen hie L	Change loo	Advanced	
Open Hie L	Change icc	Advanced	
Upen hie L	Change icc	Advanced	
Upen hie L	OK	Cancel Apply	
Click	OK	Cancel Apply	
Click / When	OK OK Apply and the OK to opening the short	Cancel Apply o close tcut, the SAP GUI	Logon Screen with SNC enabled
Click / When uld appear.	OK OK Apply and the OK t opening the short Look for the "Lock	Cancel Apply o close tcut, the SAP GUI (" at the bottom o	Logon Screen with SNC enabled of the screen.
Click A When uld appear.	OK OK Apply and the OK to opening the short Look for the "Lock Secure Network (Cancel Apply o close tcut, the SAP GUI (" at the bottom o Communication is enabl	Logon Screen with SNC enabled of the screen.
Click A When Ild appear. 2NA (1) 000	OK OK Apply and the OK to opening the short Look for the "Lock Secure Network (Y Q301AMSQNA01P	Cancel Apply o close tcut, the SAP GUI (" at the bottom o Communication is enable INS	Logon Screen with SNC enabled of the screen.

SAP GUI Shortcut	s – SAP Systems on Premise
List of required SAP GUI	- QNA
shortcuts – SAP on Prem	- AMS
Systems (current landscape)	- LRN
	- PBW
	- RTP
	- SRP
	- SRQ
	- SRR
	- SRS
	- TNG
Create Windows User	1. Open Start menu and search for Run (or use keyboard shortcut Windows key +
Environment Variable	R)

- User variables for	
Variable	Value
OneDrive	C:\UsersimpingiOneDrive
Path	C:\Users
TEMP	C:\UsershiminAppData\Local\Temp
TMP	C:\UsershiminAppData\Local\Temp
ystem variables	New Edit Dele
System variables	Value
System variables Variable ComSpec	Value C:\WINDOWS\system32\cmd.exe
System variables Variable ComSpec DriverData	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData
System variables Variable ComSpec DriverData FP_NO_HOST_CHECK	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO
System variables Variable ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4
System variables Variable ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS OS	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4 Windows_NT
System variables Variable ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS OS Path	New Edit Delet Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4 Windows_NT C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com.
System variables Variable ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS OS Path PATHEXT	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4 Windows_NT C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com. .COM.EXE:.BAT:.CMD.VBS:.VBE.JS:JSE.WSF:.WSF:.MSC
System variables Variable ComSpec DriverData FP_NO_HOST_CHECK NUMBER_OF_PROCESSORS OS Path PATHEXT	New Edit Dele Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData NO 4 Windows_NT C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com .COM:EXE:.BAT:.CMD:.VBS:.VBE:.JS:.JSE:.WSF:.WSH:.MSC

Environment V	/ariables es for velms				×
New User Variable					×
Variable name:	SAP_QNA_OLD	incur utoronto ca/S/2	214		
Browse Directory.	Browse f	File		ОК	Cancel
			New	Edit	Delete
System varia	ables				
Variable		Value			^
ComSpec		C:\WINDOWS\syste	sm32\cmd.exe		
FP_NO_H NUMBER	a OST_CHECK _OF_PROCESSORS	C:\Windows\System NO 4 Windows NT	n32\Drivers\DriverDat	a	
Path		C:\ProgramData\O	racle\Java\javapath;C:	Program Files ()	(86)\Com
PATHEXT		.COM: EXE: BAT: CM	D:.VBS:.VBE:.JS:.JSE.V	WSF:.WSH:.MSC	*
			New	Edit	Delete
				ОК	Cancel
5. The ne	w variable is r	now created			

	Environment Variables		
	User variables for IIII		
	Variable OneDrive Path SAR ONA		Value C:\Users\\OneDrive C:\Users\\AppData\Local\Microsoft\WindowsApps; (M/one_easi_uteronto_ca/S/3615/G/oublic_SNC_DARTNERNAME="p;
	SAP_QNA_OLD TEMP TMP		/H/sap-qna.adminsys.utoronto.ca/S/3214 C:\Users\AppData\Local\Temp C:\Users\AppData\Local\Temp
			New Edit Delete
	System variables		
	Variable ComSpec	1	Value ^ C:\WINDOWS\system32\cmd.exe
	DriverData FP_NO_HOST_CHE NUMBER_OF_PRO OS Path	CESSORS	C:\Windows\System32\Drivers\DriverData NO 4 Windows_NT C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Com
			New Edit Delete OK Cancel
ist of Environment Variables	 Repeat st 7. When rea Variable 	eps 1-5 fo dy, click O	r ALL SAP System variables in scope (see below)
ist of Environment Variables	 6. Repeat st 7. When rea Variable Name 	eps 1-5 fo dy, click O Variab	r ALL SAP System variables in scope (see below)
ist of Environment Variables	 6. Repeat st 7. When rea 7. When rea 7. SAP_QNA_OLD 	eps 1-5 for dy, click O Variab /H/sap	New Edit Delete OK Cancel r ALL SAP System variables in scope (see below) oK o-qna.adminsys.utoronto.ca/S/3214
ist of Environment Variables	 6. Repeat st 7. When rea Variable Name SAP_QNA_OLD SAP_AMS_OLD 	eps 1-5 for dy, click O Variab /H/sap /H/sap	New Edit Delete OK Cancel r ALL SAP System variables in scope (see below) oK
st of Environment Variables	 6. Repeat st 7. When rea Variable Name SAP_QNA_OLD SAP_AMS_OLD SAP_LRN_OLD 	eps 1-5 fo dy, click O Variab /H/sap /H/sap /H/sap	New Edit Delete OK Cancel r ALL SAP System variables in scope (see below) oK ble Value o-qna.adminsys.utoronto.ca/S/3214 o-ams.adminsys.utoronto.ca/S/3205 o-lrn.adminsys.utoronto.ca/S/3211
st of Environment Variables	 6. Repeat st 7. When rea Variable Name SAP_QNA_OLD SAP_AMS_OLD SAP_LRN_OLD SAP_PBW_OLD 	eps 1-5 fo dy, click O Variab /H/sap /H/sap /H/sap /H/sap	New- Edit Delete OK Cancel r ALL SAP System variables in scope (see below) oK o-qna.adminsys.utoronto.ca/S/3214 o-qna.adminsys.utoronto.ca/S/3205 o-lrn.adminsys.utoronto.ca/S/3211 o-pbw.adminsys.utoronto.ca/S/3208
st of Environment Variables	6. Repeat st 7. When rea Variable Name SAP_QNA_OLD SAP_AMS_OLD SAP_LRN_OLD SAP_PBW_OLD SAP_RPT_OLD	eps 1-5 fo dy, click O Variab /H/sap /H/sap /H/sap /H/sap	New- Edit Delete OK Cancel r ALL SAP System variables in scope (see below) oK Delete o-qna.adminsys.utoronto.ca/S/3214 o-ams.adminsys.utoronto.ca/S/3205 o-lrn.adminsys.utoronto.ca/S/3211 o-pbw.adminsys.utoronto.ca/S/3208 o-rpt.adminsys.utoronto.ca/S/3210
st of Environment Variables	 6. Repeat st 7. When rea 7. When rea SAP_QNA_OLD SAP_AMS_OLD SAP_LRN_OLD SAP_PBW_OLD SAP_RPT_OLD SAP_SRP_OLD 	eps 1-5 for dy, click O Variab /H/sap /H/sap /H/sap /H/sap /H/sap	New Edit Delete OK Cancel r ALL SAP System variables in scope (see below) oK o-qna.adminsys.utoronto.ca/S/3214 o-qna.adminsys.utoronto.ca/S/3205 o-lrn.adminsys.utoronto.ca/S/3205 o-lrn.adminsys.utoronto.ca/S/3211 o-pbw.adminsys.utoronto.ca/S/3208 o-rpt.adminsys.utoronto.ca/S/3210 o-srp.adminsys.utoronto.ca/S/3242
st of Environment Variables	 6. Repeat st 7. When rea 7. When rea SAP_QNA_OLD SAP_AMS_OLD SAP_LRN_OLD SAP_LRN_OLD SAP_PBW_OLD SAP_RPT_OLD SAP_SRP_OLD SAP_SRQ_OLD 	eps 1-5 fo dy, click O Variab /H/sap /H/sap /H/sap /H/sap /H/sap /H/sap	New- Edit Delete OK Cancel r ALL SAP System variables in scope (see below) oK o-qna.adminsys.utoronto.ca/S/3214 o-ams.adminsys.utoronto.ca/S/3205 o-lrn.adminsys.utoronto.ca/S/3205 o-lrn.adminsys.utoronto.ca/S/3211 o-pbw.adminsys.utoronto.ca/S/3210 o-srp.adminsys.utoronto.ca/S/3242
ist of Environment Variables	6. Repeat st 7. When rea 7. When rea SAP_QNA_OLD SAP_AMS_OLD SAP_LRN_OLD SAP_LRN_OLD SAP_PBW_OLD SAP_RPT_OLD SAP_SRP_OLD SAP_SRQ_OLD SAP_SRR_OLD	eps 1-5 fo dy, click O Variab /H/sap /H/sap /H/sap /H/sap /H/sap /H/sap	New- Edit Delete OK Cancel r ALL SAP System variables in scope (see below) oK o-qna.adminsys.utoronto.ca/S/3214 o-qna.adminsys.utoronto.ca/S/3205 o-lern.adminsys.utoronto.ca/S/3205 o-lrn.adminsys.utoronto.ca/S/3211 o-pbw.adminsys.utoronto.ca/S/3208 o-rpt.adminsys.utoronto.ca/S/3210 o-srp.adminsys.utoronto.ca/S/3242 o-srq.adminsys.utoronto.ca/S/3243
ist of Environment Variables	6. Repeat st 7. When rea 7. When rea 7. When rea 8. Variable Name SAP_QNA_OLD SAP_AMS_OLD SAP_AMS_OLD SAP_RPT_OLD SAP_RPT_OLD SAP_SRP_OLD SAP_SRP_OLD SAP_SRR_OLD SAP_SRS_OLD	eps 1-5 fo dy, click O Variab /H/sap /H/sap /H/sap /H/sap /H/sap /H/sap /H/sap	New- Edit Delete OK Cancel r ALL SAP System variables in scope (see below) oK o-qna.adminsys.utoronto.ca/S/3214 o-ams.adminsys.utoronto.ca/S/3205 o-lrn.adminsys.utoronto.ca/S/3205 o-lrn.adminsys.utoronto.ca/S/3211 o-pbw.adminsys.utoronto.ca/S/3208 o-rpt.adminsys.utoronto.ca/S/3210 o-srp.adminsys.utoronto.ca/S/3242 o-srq.adminsys.utoronto.ca/S/3243 o-srr.adminsys.utoronto.ca/S/3241

Create a new Shortcut for the 1.	Right-click on the D	esktop and Select New > Short	cut
user (for example on the	View	>	
User's Desktop)	Sort by	>	
	Refresh		
	Paste		
	Paste shortcut		
	Undo Rename	Ctrl+Z	
	New	> Folder	
	Display settings	Shortcut	
	🗹 Personalize	Microsoft Access Da	tabase 📃
		🖬 Bitmap image	_
		Contact	
		Microsoft Word Doc	ument
2	Deste the fellowing	into the (I a setion field (as set	tahase
SAP "C:	Program Files (x8) Z Z Z Z Z Z Z Z Z	6) \SAP\FrontEnd\SAPgui \ ike to create a shortcut for? e shortcuts to local or network programs, f	SAPgui.exe"
	Type the location of the item:		
	C:\Program Files (X80)\SAP\r	Frontend/SAPgui/SAPgui.exe	Browse
	Click Next to continue.		
			Next Cancel
3.	Pick a meaningful n	ame for the shortcut (like QNA) and click Finish

 Create Shortcut What would you like to name the shortcut? Type a name for this shortcut: [QN4] Click Finish to create the shortcut. Click Finish to create the shortcut. Right-click on the newly created shortcut and select Properties Run as administrator Troubleshoot compatibility Pin to Stat 7.2p Cot SHA Scan with Windows Defender Pin to taskbar Restore previous versions Send to Cut Copy Create shortcut Delete Rename Properties Append <space>+ %SAE_QNA_OLD% to the end of the "Target" field</space> For example: 	×
What would you like to name the shortcut? Type a name for this shortcut: QNA Click Finish to create the shortcut. Finish Click To the newly created shortcut and select Properties Click Finish to create shortcut. Finish Click Shat Finito taskbar Restore previous versions Send to Cut Cup Cut Cut <td></td>	
Type a name for this shortcut: CNA Click Finish to create the shortcut. Finish Can Right-click on the newly created shortcut and select Properties Right-click on the newly created shortcut and select Properties Can Open file location Open file location Open file location Can a administrator Troubleshoot compatibility Pin to Stat 7-Zip CRC SHA Restore previous versions Send to Cut Cut Copy Create shortcut Delete Rename Properties Append <space>+ %SAP_QNA_OLD% to the end of the "Target" field For example:</space>	
QNA Click Finish to create the shortcut. Finish Click Finish to create the shortcut. Finish Canadian State Compen Open file location Pan administrator Troubleshoot compatibility Pin to Start 7-Zip CR SHA Scan with Windows Defender Pin to taskbar Restore previous versions Send to Cut Copy Create shortcut Delete Rename Properties	
Click Finish to create the shortcut. Finish Can Right-click on the newly created shortcut and select Properties Open file location Pin to Statt Open file location Pin to Statt Troubleshoot compatibility Pin to Statt Troubleshoot compatibility Pin to Statt CRC SHA Pin to taskbar Restore previous versions Send to Cut Copy Create shortcut Delete Rename Properties	
Finish to create the shortcut. Finish Can A. Right-click on the newly created shortcut and select Properties Open file location © NA Open file location © Run as administrator Troubleshoot compatibility Troubleshoot compatibility Pin to Start 7.Zip CRC SHA © Scan with Windows Defender Pin to taskbar Restore previous versions Send to Cut Copy Create shortcut Delete Rename Properties 5. Append <space>+ %SAP_QNA_OLD% to the end of the "Target" field For example:</space>	
Finish Can I. Right-click on the newly created shortcut and select Properties I. Open Open file location Open file location I. Run as administrator Troubleshoot compatibility Pin to Start 7-Zip > CRC SHA > Scan with Windows Defender Pin to taskbar Restore previous versions Send to Cut Copy Create shortcut Delete Rename Properties For example: Example:	
Finish Can A. Right-click on the newly created shortcut and select Properties Image: Construct of the image: Construction of the image:	
Finish Can A. Right-click on the newly created shortcut and select Properties Open Open file location Open file location Run as administrator Troubleshoot compatibility Pin to Start 7-Zip CRC SHA EScan with Windows Defender Pin to taskbar Restore previous versions Send to Cut Copy Create shortcut Delete Rename Properties Append <space>+ %SAP_QNA_OLD% to the end of the "Target" field For example: For example</space>	
Finish Can 4. Right-click on the newly created shortcut and select Properties a. Right-click on the newly created shortcut and select Properties a. Night-click on the newly created shortcut and select Properties a. Right-click on the newly created shortcut and select Properties a. Night-click on the newly created shortcut and select Properties a. Restore previous versions Send to Cut Copy Create shortcut Delete Rename Properties Properties a. Append <space>+ %SAP_QNA_OLD% to the end of the "Target" field For example: Example:</space>	
Finish Can 4. Right-click on the newly created shortcut and select Properties Open Open file location Pin to Statt 7-Zip CRC SHA CRC SHA Send to Cut Cut Copy Create shortcut Delete Rename Properties 5. Append <space>+ %SAP_QNA_OLD% to the end of the "Target" field For example: Enter Statt</space>	
Finish Can 4. Right-click on the newly created shortcut and select Properties Image: Construct of the image of	
Finish Can A. Right-click on the newly created shortcut and select Properties Image: Construct of the i	
 A. Right-click on the newly created shortcut and select Properties Open file location Qren file location Run as administrator Troubleshoot compatibility Pin to Statt 7-Zip CRC SHA CRC SHA Scan with Windows Defender Pin to taskbar Restore previous versions Send to Cut Copy Create shortcut Delete Rename Properties 5. Append <space>+ %SAP_QNA_OLD% to the end of the "Target" field For example:</space> 	el
Properties 5. Append <space>+ %SAP_QNA_OLD% to the end of the "Target" field For example:</space>	
 Append <space>+ %SAP_QNA_OLD% to the end of the "Target" field</space> For example: 	
5. Append <space>+ %SAP_QNA_OLD% to the end of the "Target" field For example:</space>	
For example:	
·	
"C:\Program Files (x86)\SAP\FrontEnd\SAPgui\SAPgui.exe" %SAP_QNA_OLD%	

Security Details Previous Versions General Shortcut Compatibility Image: Comparities of the state of the s	🗾 QNA Prope	erties		×
QNA Target type: Application Target location: SAPgui Target: ontEnd\SAPgui SAPQUI Start in: "C:\Program Files (x86)\SAP\FrontEnd\SAPgui" Shortcut key: None Run: Nomal window Comment: Open File Location Change Icon Advanced OK Cancel	Security General	Details Shortcut	Previous Versions Compatibility	
Target type: Application Target location: SAPgui Target: IntEnd\SAPgui\SAPgui.exe" 2/SAP_QNA_OLD2/ Start in: "C:\Program Files (x86)\SAP\FrontEnd\SAPgui" Shortcut key: None Run: Nomal window Comment: Open File Location Open File Location Change Icon Advanced	2	QNA		
Target location: SAPgui Target: IntEnd\SAPgui\SAPgui.exe" % SAP_QNA_OLD? Start in: "C:\Program Files (x86)\SAP\FrontEnd\SAPgui" Shortcut key: None Run: Normal window Comment:	Target type:	Application		-
Target: xntEnd\SAPgui\SAPgui.exe" % SAP_QNA_OLD% Start in: "C:\Program Files (x86)\SAP\FrontEnd\SAPgui" Shortcut key: None Run: Normal window Comment:	Target location	n: SAPgui		
Start in: "C:\Program Files (x86)\SAP\FrontEnd\SAPgui" Shortcut key: None Run: Nomal window Comment:	Target:	ontEnd\SAPgui\SAPgui	.exe" <mark>%SAP_QNA_OLD</mark> %	2
Shortcut key: None Run: Nomal window Comment: Open File Location Change Icon Advanced	Start in:	"C:\Program Files (x86)\	SAP\FrontEnd\SAPgui''	
Run: Normal window Comment:	Shortcut key:	None		
Comment: Open File Location Change Icon Advanced OK Cancel	Run:	Normal window	~	
Open File Location Change Icon Advanced OK Cancel Apply	Comment:			
OK Cancel Apply	Onen Ele	Logation Change log	a Advanced	
OK Cancel Apply	Open nie	Change Ico	Advanced	
OK Cancel Apply				
OK Cancel Apply				
OK Cancel Apply				
OK Cancel Apply				_
		OK	Cancel Apply	
	When o	opening the shortcut, the	ne SAP GUI Logon Scr	een will display
When opening the shortcut, the SAP GUI Logon Screen will display	Please	note, for the old (curre	nti SAP Lanuscape, tr	ie SNC IS not enabled
When opening the shortcut, the SAP GUI Logon Screen will display Please note, for the old (current) SAP Landscape, the SNC is not enabled	QNA (1) 000 ~	k communication is not enabled ap21 INS 🝻 🚔 🔐		
When opening the shortcut, the SAP GUI Logon Screen will display Please note, for the old (current) SAP Landscape, the SNC is not enabled Secure Network Communication is not enabled	Repeat	t steps 1-6 in this sectio	n for each SAP GUI SI	hortcut required